



Early Journal Content on JSTOR, Free to Anyone in the World

This article is one of nearly 500,000 scholarly works digitized and made freely available to everyone in the world by JSTOR.

Known as the Early Journal Content, this set of works include research articles, news, letters, and other writings published in more than 200 of the oldest leading academic journals. The works date from the mid-seventeenth to the early twentieth centuries.

We encourage people to read and share the Early Journal Content openly and to tell others that this resource exists. People may post this content online or redistribute in any way for non-commercial purposes.

Read more about Early Journal Content at <http://about.jstor.org/participate-jstor/individuals/early-journal-content>.

JSTOR is a digital library of academic journals, books, and primary source objects. JSTOR helps people discover, use, and build upon a wide range of content through a powerful research and teaching platform, and preserves this content for future generations. JSTOR is part of ITHAKA, a not-for-profit organization that also includes Ithaka S+R and Portico. For more information about JSTOR, please contact support@jstor.org.

FOREIGN AND INSULAR STATISTICAL REPORTS OF COUNTRIES AND
CITIES—UNTABULATED.

AUSTRALIA—*New South Wales—Newcastle*.—Month of July, 1905. Estimated population, 50,745. Total number of deaths, 65, including diphtheria 1, and 5 from tuberculosis.

BRAZIL—*Pernambuco*.—Two weeks ended August 15, 1905. Estimated population, 200,000. Total number of deaths, 429, including measles 2, smallpox 215, and 56 from tuberculosis.

DUTCH GUIANA—*Paramaribo*.—Month of August, 1905. Estimated population, 33,000. Total number of deaths, 66. No contagious diseases reported.

FRANCE—*Marseille*.—Month of August, 1905. Estimated population, 491,161. Total number of deaths, 767, including enteric fever 23, whooping cough 4, smallpox 1, and 85 from tuberculosis.

GIBRALTAR.—Two weeks ended September 17, 1905. Estimated population, 27,460. Total number of deaths, 14, including 2 from enteric fever.

GREAT BRITAIN—*England and Wales*.—The deaths registered in 76 great towns in England and Wales during the week ended September 2, 1905, correspond to an annual rate of 17.3 per 1,000 of the aggregate population, which is estimated at 15,609,377.

London.—One thousand five hundred and forty-eight deaths were registered during the week, including measles 27, scarlet fever 11, diphtheria 12, whooping cough 28, enteric fever 5, and 313 from diarrhea. The deaths from all causes correspond to an annual rate of 17.2 per 1,000. In Greater London 2,130 deaths were registered. In the "outer ring" the deaths included 4 from diphtheria, 5 from measles, 3 from whooping cough, and 73 from diarrhea.

Ireland.—The average annual death rate represented by the deaths registered during the week ended September 2, 1905, in the 21 principal town districts of Ireland was 18.3 per 1,000 of the population, which is estimated at 1,093,959. The lowest rate was recorded in Ballymena, viz, 9.6, and the highest in Lisburn, viz, 27.3 per 1,000. In Dublin and suburbs 165 deaths were registered, including diphtheria 1, enteric fever 2, measles 2, and 27 from tuberculosis.

Scotland.—The deaths registered in 8 principal towns during the week ended September 2, 1905, correspond to an annual rate of 14.8 per 1,000 of the population, which is estimated at 1,749,917. The lowest rate of mortality was recorded in Leith, viz, 10.2, and the highest in Dundee, viz, 17.2 per 1,000. The aggregate number of deaths registered from all causes was 496, including measles 7, diphtheria 6, scarlet fever 2, and 14 from whooping cough.

ITALY—*Genoa*.—Month of July, 1905. Estimated population, 263,688. Total number of deaths, 305, including diphtheria 3, enteric fever 2, whooping cough 7, and 73 from tuberculosis.

Milan.—Month of July, 1905. Estimated population, 532,136. Total number of deaths, 954, including diphtheria 6, enteric fever 15, measles 13, scarlet fever 1, and 101 from tuberculosis.

JAMAICA—Kingston.—Month of August, 1905. Estimated population, 52,475. Total number of deaths, 98, including 9 from phthisis pulmonalis.

Port Antonio.—Two weeks ended September 16, 1905. Estimated population not reported. No contagious diseases reported.

JAPAN—Nagasaki.—Ten days ended August 31, 1905. Estimated population, 159,041. Number of deaths not reported. No contagious diseases reported.

JAVA—Batavia.—Two weeks ended August 19, 1905. Estimated population, 160,000. Total number of deaths, not reported. No contagious diseases reported.

PHILIPPINE ISLANDS—Manila.—Month of May, 1905. Estimated population, 219,941. Total number of deaths, 583, including enteric fever 5, whooping cough 1, plague 2, and 94 from tuberculosis.

ST. HELENA.—Four weeks ended August 26, 1905. Estimated population, 3,500. Total number of deaths, 3, including 2 from tuberculosis.

SPAIN—Barcelona.—Ten days ended September 10, 1905: Estimated population, 600,000. Total number of deaths, 387, including diphtheria 2, enteric fever 8, whooping cough 2, and 25 from tuberculosis.

Cadiz.—Month of August, 1905. Estimated population, 69,382. Total number of deaths, 145, including enteric fever 2, measles 4, smallpox 1, and 23 from tuberculosis.

Seville.—Month of August, 1905. Estimated population, 148,290. Total number of deaths, 318, including enteric fever 1, measles 2, scarlet fever 2, whooping cough 2, and 40 from tuberculosis.

Cholera, yellow fever, plague, and smallpox, June 30 to October 6, 1905.

[Reports received by the Surgeon-General, Public Health and Marine-Hospital Service, from American consuls through the Department of State, and from other sources.]

[For reports received from December 30, 1904, to June 30, 1905, see PUBLIC HEALTH REPORTS for June 30, 1905.]

[NOTE.—In accordance with custom, the tables of epidemic diseases are terminated semiannually and new tables begun.]

CHOLERA.

Place.	Date.	Cases.	Deaths.	Remarks.
Austria:				
Galicia				3 deaths.
Grodzisko	Sept. 5.	6		
Padew	Sept. 5.	1		
China:				
Hankow	Aug. 5.			Prevalent.
Hongkong	July 15-Aug. 12.	3	3	
Shanghai	June 1-July 29.	3	2	
Germany				
Prussia:				
General	To Sept. 7.	21	3	Eighteen of 20 suspected cases occurred in the Vistula district; one each in the Warthe River district and the network of canals.
Stettin	Sept. 19.		1	
Bromberg government district.	Aug. 26-Sept. 8. ..	44	15	
Danzig government district.	Aug. 27-29.	5	1	